

FINAL PLAT CHECKLIST

Project Nai	me: Tax ID #:		
Project Nu	mber: Date:		
Reviewed l	By: Telephone:		
Please add	ress all items marked with an "X"		
Please retu	ırn redline comments with corrected plan, original mylar, and two (2) prints.		
1.	The final plat shall comply with the City of Milton Subdivision Regulations, the City of Milton Zoning Ordinances, Conditions of Zoning.		
2.	Provide a letter of approval for a "Street Lighting Plan" from the Community Services Department, Transportation Section, prior to review by the Department of Community Development.		
3.	Provide three (3) sets of as-built drawings to the Field Construction Inspector for review and approval prior to or coincidental with the submittal of the final plat.		
4.	Provide a letter of approval from the Field Construction Inspector prior to recording of the final plat.		
5.	Provide initially three (3) copies of the final plat with the final plat application. Once all review comments are satisfied; provide two (2) copies and the original mylar.		
6.	The final plat shall be drawn clearly and legibly in black ink at a recommended scale of 1" = 10' to 1"=100'. If the complete plat cannot be shown on one sheet, then said plat shall be shown on several sheets with an index map indicated on each sheet. The recommended sheet size shall be 17" x 22" with a minimum character height of .08 inches. Plats recorded and filed at Fulton Superior Court must meet the standards of the "Georgia Plat Act". The Clerk of Superior Court can and will reject your document if it is not legible or does not meet Georgia Plat Standards.		
7.	Provide a name or title for all maps or plats. The name of the former subdivision, Deed Book and Page number shall be stated, if applicable.		
8. 9.	Provide the following: City, County, District, and Land Lot; Date of plat preparation and each individual revision of record. The scale shall be stated as "1" inch to ft. and shown graphically.		











Milton Sub	odivision Regulations as amended.		
this plat co	for of the Community Development Department of The City of Milton, Georgia, certifies that complies with the City of Milton Zoning Ordinances, Conditions of Zoning, and the City of		
a	a. FINAL PLAT APPROVAL		
22.	All final plats shall have the following certificates clearly printed thereon:		
21.	Provide the existing and proposed widths of all rights-of-way and pavement, centerline, intersection angle, and centerline curve data.		
20.	Provide data for regular and irregular curves, chord distances, and directions.		
19.	Provide distances and bearings on all boundary or lot lines.		
18.	Show all land lot lines, district lines, and city and county boundaries labeled appropriately with words and figures.		
17.	Provide a location sketch which clearly shows the location of the site with respect to the nearest two (2) intersections, and provide on the plan the distance to the nearest intersection.		
16.	Provide a north arrow.		
15.	Provide in the notes the reference for the angular bearings shown on the plat.		
	"This plat has been calculated for closure and is found to be accurate within one foot in feet."		
14.	Provide the closure precision of the survey data shown on the plat as follows:		
	"The field data upon which this plat is based has a closure precision of one foot in feet and an angular error of per angle point, and was adjusted using rule.		
13.	Provide the closure precision of the field survey by using the following note:		
12.	Provide the name and address of the sub-divider.		
11.	Provide the name and address of the owner of record.		
10.	The name of the land surveyor, registration number, and seal shall be affixed to the plat under the surveyor's signature.		

 b.	STATEMENT OF SLOPE EASEMENT		
	This plat is approved with the understanding the along all road frontage for the purpose of sloping	- · · · · · · · · · · · · · · · · · · ·	
	0' to 5' — not less than 3 to 1 slope 5' to 10' — not less than 2 to 1 slope		
 c.	OWNER'S ACKNOWLEDGEMENT (this must b ink)	e the owner of record signed in BLACK	
	OWNER'S ACKNOWLEDGEMENT: STATE OF GEORGIA (CITY OF MILTON)		
The owner of record of the land shown on this plat and whose name is subscribed thereto in person or through a duly authorized agent, hereby acknowledges that this plat was made from an actual survey, and dedicates to Fulton County the complete ownership and use of all water and sewer improvements constructed or to be constructed in accordance with this plat, and dedicates to the use of the public forever the following:			
	Public Streets	acres	
	Public Sewer Easements	acres	
	Public Drainage Easements	acres	
	Public Parks/Open Space	acres	
	Public Access/Pedestrian Easements	acres	
	Typed Name of Subdivider	Typed Name of Owner of Record	
	Signature of Subdivider	Signature of Owner of Record	
	Date	Date	
	A11	DI ACIZ: 1	

All owners must sign the original document in a permanent type BLACK ink prior to submittal. (Ballpoint and felt pens are not acceptable)

d. FLOOD HAZARD

The Intermediate Regional Flood (I.R.F.) areas shown herein were determined by the Professional Engineer whose stamp and signature are affixed hereto. The City of Milton does not, by approving this plat, warrant their accuracy, and does not imply that land outside the areas of flood hazard shown will be free from flooding or flood damage. Further, the City of Milton does not by approving this plat nor accepting the public improvements therein, assume maintenance of the flood carrying capacity of the flood areas or watercourses. Maintenance shall remain the responsibility of the owner(s) of the land upon which they exist. The owner of a lot or parcel that contains a flood hazard area is required to submit a site plan to the City of Milton prior to the initiation of any improvements to the lot or parcel. The site plan shall include the location and elevation of the I.R.F. within the lot or parcel and the existing and proposed improvements. Approval of the site plan by the City of Milton is required prior to the issuance of a building permit.

e. DRAINAGE

The owner of record on behalf of himself (itself) and all successors in interest, specifically releases the City of Milton from any and all liability and responsibility for flooding or erosion from storm drains or from flooding from high water of natural creeks, river, or drainage features. A drainage easement is hereby established for the sole purpose of providing for the emergency protection of the free flow of surface waters along all watercourses as established by these Regulations and the Director of the Department of Public Works. Said Director may conduct emergency maintenance operations within this easement where emergency conditions exist. Emergency maintenance shall be the removal of trees and other debris, excavation, filling and the like, necessary to remedy a condition, which in the judgment of staff and Director, is potentially injurious to life, property, or the public road or utility system. Such emergency maintenance conducted for the common good shall not be construed as constituting a continuing maintenance obligation on the part of the City of Milton nor abrogation of the City of Milton's right to seek reimbursement for expenses from the owner(s) of the property(ies) or the lands that generated the conditions.

f. THE CERTIFICATE OF RECORDING

Certification as to Recording This is to certify that this plat has been recorded in Plat Book ______ Page _____ of Fulton County Recorded on ______ 20 ____. Clerk, Superior Court Fulton County, Georgia

23.	Provide the conditions of zoning on the plat and clearly indicate compliance with all conditions showing all required natural buffers, landscape strips, and deceleration lanes on the plat.		
24.	Provide the existing zoning for the property or tract of land being platted and zoning case number (if any). The following data shall also be stated on the plat:		
	Front Setback	feet	
	Rear Setback	feet	
	Side Interior Setback	feet	
	Side Corner Setback	feet	
	Minimum Heated Floor Area	feet	
	Parking Space(s)/Dwelling Unit		
	Minimum required Lot Area	square feet	
	Minimum required Lot Frontage	feet	
	Minimum required Lot Width at the Building Line	feet	
25.	Show the minimum front, rear, side, and corner setbacks (on all lots).		
26.	Revise corner and rear yard setbacks as per redline comment on irregularly shaped lots.		
27. 28.	and label the location of the site.		
	"According to the F.I.R.M. of Fulton County, panel number 13121C _ 28, 1998, a portion of this property (is) or (is not) located in a Special		
29.	Provide an approved street name for each street in the development. To please submit a completed copy of "Request for Project/Street Notes Streets shall be named using the names approved by the Corn Department. We will accept up to two of the same names with different that they do not exist in the City of Milton or Fulton County. Names that same as existing street are not allowed. Names that start with Peach names are not allowed. Please check on duplication in commerciall and street indexes. If you check the names prior to submittal for approval chances for first time approval. Once names are approved, they are rethe subdivision until used or for three (3) years. Street signs provided	fame Approval" form. Inmunity Development erent endings provided that are phonetically the tree, River or personal y available map books proval, it will increase eserved in the name of	

	will hold only 12 characters including spaces between names. Suffixes may be abbreviated. The approved road name suffixes are listed on the back of the above referenced form.
30.	Where the development is to be subdivided into phase/blocks, label blocks alphabetically. Lots are to be numbered in consecutive numerical order within each block. Please make a distinction between lot numbers and street addresses by circling the addresses or by using some other labeling method to identify the address from the lot number.
31.	Locate and label with dimensions all "no access strips."
32.	Show Milton tributary buffers, state water buffers, and zoning buffers.
33.	Provide in the notes the total acreage of the entire site to the nearest 1/100 of an acre, and the total number of lots. Provide on plan view the area of each lot or parcel in square feet.
35.	Provide the direction and distance from a point of reference to a point on the boundary of the individual survey. All plats submitted shall be referenced to an existing City of Milton or Fulton County G.I.S. Monument. For any subdivision of twenty-five (25) acres or more, the subdivider must pay a fee to set one (1) new monument. Courses and distance to Monument shall be shown on the plat. (Note: The term 'monument' shall consist of one (1) G.I.S. Monument and one (1) azimuth or backsight monument per location.)
36.	Provide in the notes a description of all corner markers and markers of pertinent reference. All corner markers and markers of pertinent reference points shall be constructed of a permanent material, such as iron, steel, concrete, or stone.
37.	Show all slope easements as required.
38.	Show all public service utility right-of way lines.
39.	Show all easements including sanitary sewer easements required for future sewer construction and temporary construction encroachment. Differentiate between public and private easements. All easements dedicated to the City of Milton shall be shaded. Do not shade dimensions or notes.
40.	The City of Milton will not accept drainage easements along common property lines in order to control private drainage improvements.
41.	Provide bearings and distances on all off road sanitary sewer and permanent stormwater management facilities and drainage easements.
42.	Add this note to plat:
	"City of Milton and Fulton County personnel and/or agents shall have free and total access to and across all easements."

43.	43. Provide a 15-month maintenance surety from the Owner/Developer prior to recording of the final plat. Contact Jimmy Sanders (678) 242-2500 for amount and submit requisive surety directly to her. Please return a copy of signed Surety Receipt Acknowledgement for the Plan Review staff person.		
44. All final subdivision plats must show street addresses on each lot prior to reco- call Community Development at (678) 242-2500 if you have addressing question			
45.	Place DH-A	A, B, C, D, hold on required lots as shown and add DH-Hold Block (below).	
		DH-HOLDS	
ON YOU	UR BUILDI	AT A CERTIFICATE OF OCCUPANCY HOLD MAY BE PLACED NG PERMIT TO VERIFY THAT YOU HAVE COMPLIED WITH O SITE PLAN. A SITE INSPECTION WILL BE REQUIRED.	
DI	I-A	SITE PLAN IS REQUIRED SHOWING BUILDING AND DRIVEWAY LOCATION WITH DIMENSIONS OF THE LOT. SHOW ALL STRUCTURES, SETBACKS, EASEMENTS, SPECIMEN TREES, BUFFERS, AND PUBLIC INFRASTRUCTURE.	
DH-B		SITE PLAN REQUIRED SHOWING EXISTING AND PROPOSED CONTOUR GRADES, EROSION CONTROL MEASURES, ITEMS IN "A" ABOVE. A REGISTERED, LICENSED PROFESSIONAL ENGINEER, LICENSED LANDSCAPE ARCHITECT OR REGISTERED SURVEYOR MUST SIGN AND SEAL THE PLANS.	
DH- С		SITE PLAN IS REQUIRED SHOWING MINIMUM FINISHED FLOOR ELEVATION, I.R.F. ELEVATION AND CONTOUR LINE, 25 AND 100 YEAR ELEVATIONS OF THE DETENTION FACILITY, TOP OF BANK FOR STREAMS, DRAINAGE DITCH, AND ITEMS FOR DH-A HOLDS AS STATED ABOVE. A FINAL ELEVATION CERTIFICATE MUST BE COMPLETED BY THE PROPERTY OWNER OR REPRESENTATIVE AND SUBMITTED TO THE CITY DEPARTMENT OF COMMUNITY DEVELOPMENT AT THE TIME THE LOWEST FLOOR/FIRST FLOOR (REFERENCE LEVEL) IS ESTABLISHED, PRIOR TO FURTHER CONSTRUCTION OF THE BUILDING.	
DH-D		ONLY THE DIRECTOR OR THE SPECIFIC APPOINTEE REPRESENTING THE DIRECTOR MAY RELEASE THIS TYPE OF HOLD. A DH-D HOLD IS A GENERAL HOLD FOR A SPECIFIC PURPOSE NOT PREVIOUSLY COVERED BY THE PROCEEDING EXPLANATION BELOW.	
46.	10-foot grapermitted	b- foot graded and stabilized vehicular access easement to all detention ponds. A aded access easement shall completely encircle the detention pond unless otherwise through the Community Development Department. Use a 30-foot combined when combined with a sanitary or drainage easement.	
47.	47. Show 20' landscape strip around detention ponds.		
48.	Show and	label the stormwater management facility outlet structure on the plan view.	

49.	Show the Minimum Finished Floor Elevations (M.F.F.E.) on lots that have flood plain or a detention pond and provide a recorded copy of the Flood Plain Indemnification Agreement. The M.F.F.E. for flood plain lots shall be a minimum of 3 feet above the 100-year flood elevation; and the M.F.F.E. for detention pond lots shall also be a minimum of 3 feet above the 100-year High Water (H.W.) elevation.
50.	Show the 25-year and 100-year high water elevation and volumes of the detention pond(s) on the plat.
51.	Detention Ponds should be labeled as common areas or symbolically referred to as "C.A." If any common areas are shown on the plat, a Mandatory Homeowner's Association shall be created and the incorporating documents submitted along with the final plat for review and approval prior to submittal to the Secretary of State. Said documents shall be recorded with the Clerk of Superior Court of Fulton County with the Deed Book and Page Number referenced on the plat. All private covenants, if any, shall also be submitted prior to recording and shall, once recorded, be referenced on the plat.
52.	Any other common areas shall be clearly labeled as such or symbolically referred to as "C.A." The plat shall clearly state that said areas are to be owned and maintained by the Homeowners Association in perpetuity.
53.	Complete and record with the Clerk of Superior Court of Fulton County an Owner's Indemnification and Maintenance Agreement for Detention Ponds. Once recorded, the Deed Book and Page Number shall be referenced on the final plat.
54.	Label "public" vs. "private" storm and sewer easements; shade public easements.
55.	Revise right-of-way and pavement widths, as per redline comment.
56.	Provide Health Department signature block on plat. On septic systems, the Department of Health must sign plat.
57.	Provide approval from the Health Department for all final plats on septic systems before being presented to the City for signature/approval.
58.	Properly recorded flood plain indemnification, State DB p

APPROVAL OF DEPARTMENT OF HEALTH

FULTON COUNTY HEALTH DEPARTMENT		
This subdivision, as shown, is approved upon the condition that sewage disposal and water supply facilities are in compliance with Articles C and D, <u>Sewage Disposal</u> and <u>Drinking Water Supply</u> of the Fulton County Health Department regulations, and in accordance with the requirements below:		
	WATER SUPPLY	SEWAGE DISPOSAL
	() Public Water Supply	() Public Sanitary
	() Individual Water Supplies	() Individual Onsite Sewage
	Service Requirements – S/D Type	Service Requirements – S/D Type
	() Type "A"	() Type "A" () Type "C"
	() Type "B"	() Type "B" () Type "D"
	Date	Fulton County Health Department
	Revision Date	Fulton County Health Department
sidewalks, curb standards.		road frontage in accordance with these
For non-resider	ntial and attached residential dwellin	g units:
	omplies with any applicable Overlay and (678) 242-2540 for guidelines.	District requirements". Contact
Approved by:		Date:
Must comply w	with Article VIII, Section 8.8 of the S	Subdivision Regulations, Underground